

GOVERNMENT OF ANDHRA PRADESH

A B S T R A C T

Public Services- I & CAD Department-Sri S. Satyanarayana, the then Executive Engineer, ISHWD No.1, Polavaram - appointed as enquiry officer – initiated Departmental proceedings initiated under Rule 20 of A.P.C.S.(CC & A) Rules, 1991 for not conducting the enquiry properly and misleading the Government - Further action dropped-Orders issued.

=====

IRRIGATION & CAD (SER.X.2) DEPARTMENT

G.O.Rt.No. 947

Dated : 04.08.2010

Read the following:

1. From the ENC(Aw) Hyderabad Lr.No.ENC/AW/Confdl/2004-21, dt. 23.11.2004
2. From Sri S. Satyanarayana, Enquiry Officer (the then Dy.SE, IC, Eluru) and Executive Engineer Indira Sagar Head works division No.1, Polavaram Lr.No.3C dt. 24.01.2006.
3. G.O.Rt.No.964, I & CAD (Ser.X.2) Department, dt. 20.8.2007.
4. From Sri S. Satyanarayana, formerly Executive Engineer, ISHWD Division, Polavaram W.S.D. dt. 4.11.2007.
5. From the ENC(AW) Hyderabad Lr.No. RC/ENC./SI(2)/37982/04, dt. 17.7.2009

&&&

ORDER:

It was brought to the notice of the Government, that certain irregularities activities were taken place in the Inspection Bunglow, Narsapuram, W.G.District , due to dereliction of duties and irresponsible way of handling the assets of the Government by certain engineering officials of Irrigation department .

And whereas, Sri S. Satyanarayana Executive Engineer Indira Sagar Head works division No.1, Polavaram was appointed as enquiry officer to conduct detailed enquiry on the said irregularities. In the reference 2nd read above he was submitted his enquiry report.

After detailed examination of the enquiry report it was observed that, enquiry officer, Sri S. Satyanarayana, Executive Engineer, has not conducted enquiry properly and submitted his report without reasonable justification.

And whereas, in the reference 3rd read above, Articles of charges were issued against Sri S. Satyanarayana, the then Executive Engineer for his misbehavior in misleading the Government within accurate findings in departmental enquiry and also dereliction of duties.

In the reference 4th read above, he was submitted his Written Statement Defense stating that he never conducted enquiry previously and he was new to procedure, the enquiry report was based on the statement of the defense and he has not intentional lapse if any on his part. He has therefore requested the Government to drop further action against him.

In the reference 5th read above, the Engineer-In-Chief (Admn. Wing), Hyderabad has stated that, the Executive Engineer, Godavari Western division, Nidavole, W.G. District /the DEE, Irrigation sub-division, Narasapuram has informed that the case CR.No.202/04 on Police Riding on Irrigation Guest house, Narasapuram, was dismissed by the Hon'ble AJPCM Court, Narasapuram on 9.8.2007. The same was informed by the Police authorities of town police station, Narsapuram.

Conted. page. 2.

//2//

Government after careful examination of the matter, have considered the request of the individual and decided to drop further action against Sri S. Satyanarayana, formerly Executive Engineer, ISHWD No.1, Polavaram and now retired as Superintending Engineer. Accordingly, further action is hereby dropped against Sri S.Satyanarayana, formerly Executive Engineer, ISHWD No.1, Polavaram and now Superintending Engineer retired.

The Engineer-In-Chief (Admn. Wing) Hyderabad is requested to take necessary action.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

S.P.TUCKER
PRINCIPAL SECRETARY TO GOVERNMENT

To
Sri S. Satyanarayana, formerly Executive Engineer,
ISHWD No.1, Polavaram and now retired
as Superintending Engineer through
the Engineer-In-Chief (Admn.Wing)
I & CAD Department, Hyderabad.
The Engineer-In-Chief (Admn. Wing)
I & CAD Department, Hyderabad.
Copy to:
The Accountant General, Andhra Pradesh, Hyderabad.
The Secretary , A.P. Vigilance Commission , Hyderabad
SF/SC

//FORWARDED: : BY ORDER//

SECTION OFFICER